

EQUATOR[®]

INDUCTION
FOOD TECH MACHINES

SMART | EFFICIENT | RELIABLE



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979





info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com

EQUATOR


FOOD TECH MACHINES



Design & Engineering :

We design, engineer and deliver next-generation electric cooking solutions for modern commercial kitchens.

- Civil
- Electrical
- Plumbing
- Drainage
- Steam Lines
- Gas Lines
- Exhaust Hood Lines
- Fresh Air Lines
- Blowers Placements



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979



info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com

Consult :

- **Energy Analysis**
- **Operating Cost Analysis**
- **Safety & Efficiency Assessment**
- **Food & Labour Efficiency**
- **Long-Term Profitability & Performance Standards**

Experience :

Our expertise spans high-efficiency induction cooking systems from 3 kW to 60 kW, engineered for the demanding requirements of restaurants, hotels, bakeries, institutions, caterers and large-scale kitchens.

We don't simply sell equipment. We understand the cooking process, identify the challenges and engineer solutions that improve energy efficiency, productivity, safety, consistency, operating costs, faster ROI and long-term profitability.

From Indian kitchens. Engineered for the world.

INDUCTION — TAILOR-MADE IN INDIA





OUR VISION

To be a leading global brand in intelligent cooking technology, transforming kitchens with innovation, efficiency and sustainability.



OUR MISSION

To engineer smart cooking solutions that deliver unmatched performance, reduce energy consumption and empower kitchens to operate better every day.

18 COUNTRIES
EXPORT



AN ISO 9001:2015 CERTIFIED COMPANY



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979



info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com

SEMI COMMERCIAL INDUCTION COOKER

PLAIN TOP



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
3.5 KW	EQIN-3.5S	AC 220V, 50-60Hz	350*450*165 MM	PRESS BUTTON	5.2 KG	20 to 30 litres
5 KW	EQIN-5S	AC 220V, 50-60Hz	380*470*150 MM	PRESS BUTTON	6.63 KG	30 to 50 litres

CONCAVE TOP



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
3.5 KW	EQIN-3.5SC	AC 220V, 50-60Hz	350*450*165 MM	PRESS BUTTON	5.2 KG	5 LITRE
5 KW	EQIN-5SC	AC 220V, 50-60Hz	380*470*150 MM	PRESS BUTTON	6.63 KG	8 LITRE



PLAIN TOP



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
8 KW	EQIN-8ST	AC 380V, 50-60Hz	650*750*500 MM	8 level mag-switch	42 KGS	80 LITRES
12 KW	EQIN-12ST	AC 380V, 50-60Hz	650*750*500 MM	8 level mag-switch	42 KGS	120 LITRES
15 KW	EQIN-15ST	AC 380V, 50-60Hz	650*750*500 MM	8 level mag-switch	42 KGS	150 LITRES

CONCAVE TOP



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
8 KW	EQIN-8SC	AC 380V, 50-60Hz	800*900*500 MM	8 level mag-switch	42 KGS	80 LITRES
12 KW	EQIN-12SC	AC 380V, 50-60Hz	800*900* 500 MM	8 level mag-switch	42 KGS	120 LITRES
15 KW	EQIN-15SC	AC 380V, 50-60Hz	800*900* 500 MM	8 level mag-switch	42 KGS	150 LITRES



FLAT + CONCAVE TOP



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
3.5 KW + 3.5 KW	EQIN-3.5TC	AC 220V, 50-60Hz	750*450*150 MM	Magnetic Rotate Knob	12 KGS	25 + 20 LITRES
5 KW + 5 KW	EQIN-5TC	AC 220V, 50-60Hz	800*480*200 MM	Magnetic Rotate Knob	15 KGS	40 + 35 LITRES

CONCAVE + CONCAVE TOP



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
3.5 KW + 3.5 KW	EQIN-3.5CC	AC 220V, 50-60Hz	750*450*150 MM	Magnetic Rotate Knob	12 KGS	20 + 20 LITRES
5 KW + 5 KW	EQIN-5CC	AC 220V, 50-60Hz	800*480*200 MM	Magnetic Rotate Knob	15 KGS	35 + 35 LITRES



INDUCTION THREE ZONE RANGE



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
3 KW * 3	EQIN-3+3F	AC 380V, 50-60Hz	1500*750*1000 MM	Press and knob Control	32 KGS	25 * 3
5 KW * 3	EQIN-5+3F	AC 380V, 50-60Hz	1500*750*1000 MM	Press and knob Control	50 KGS	35 * 3

INDUCTION FOUR ZONE RANGE



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROLLER	NET WEIGHT	CAPACITY
3.5 KW * 4	EQIN-3.5+4F	AC 380V, 50-60Hz	800*750*950mm	Press and knob Control	45 KGS	25 * 4 LITRES
5 KW * 4	EQIN-5+4F	AC 380V, 50-60Hz	800*750*950mm	Press and knob Control	52 KGS	35 * 4 LITRES



INDUCTION HOT PLATE



POWER	FEET	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROL	IRON PLATE SIZE
8 KW	2.5	EQIN-8HP	AC 380V, 50-60Hz	760*760*800MM	PRESS AND KNOB, 8 LEVEL	670*560*15
12 KW	5	EQIN-12HP	AC 380V, 50-60Hz	1200*900*800 MM	PRESS AND KNOB, 8 LEVEL	1060*560*15
15 KW	6	EQIN-15HP	AC 380V, 50-60Hz	1200*900*800 MM	PRESS AND KNOB, 8 LEVEL	1060*560*15

INDUCTION WOK (COOKER / FRYER)



POWER	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROL	CAPACITY	WOK (DIA & DEPTH)
20 KW	EQIN-20W	AC 380V, 50-60Hz	1000*1100*800 MM	8 level mag-switch	60 LITRES	800 & 245
25 KW	EQIN-25W	AC 380V, 50-60Hz	1100*1200*800 MM	8 level mag-switch	84 LITRES	900 & 264
30 KW	EQIN-30W	AC 380V, 50-60Hz	1200*1300*800 MM	8 level mag-switch	112 LITRES	1000 & 280



INDUCTION BRATT PAN



POWER	LITRES	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROL	CAPACITY
12	100 LITRES	EQIN-12BR100	AC 380V, 50-60Hz	1250*900*900 MM	MANUAL TILTING	100 LITRES
15	150 LITRES	EQIN-15BR150	AC 380V, 50-60Hz	1250*900*900 MM	MANUAL TILTING	150 LITRES
20	200 LITRES	EQIN-20BR200	AC 380V, 50-60Hz	1250*900*900 MM	MANUAL TILTING	200 LITRES

INDUCTION BOILING PAN



POWER	LITRES	MODEL NO.	VOLTAGE	PRODUCT SIZE	CONTROL	CAPACITY
20	100 LITRES	EQIN-20BP100	AC 380V, 50-60Hz	1500*870*1100 MM	MANUAL TILTING	75 KGS RAW RICE
25	150 LITRES	EQIN-25BP150	AC 380V, 50-60Hz	1600*970*1100 MM	MANUAL TILTING	100 KGS RAW RICE
30	200 LITRES	EQIN-30BP200	AC 380V, 50-60Hz	1670*1070*1260 MM	MANUAL TILTING	150 KGS RAW RICE



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979



info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com

INDUCTION IDLY STEAMER / RICE STEAMER



POWER	CAPACITY	MODEL NO.	VOLTAGE	PRODUCT SIZE
15	12 - 45 KG	EQIN-15IS	AC 380V, 50-60Hz	800*700*1800 MM
30 (2 * 15)	32 - 120 KG	EQIN-30IS	AC 380V, 50-60Hz	1530*1100*1585 MM

COOKING MIXER



POWER	CAPACITY	MODEL NO.	VOLTAGE	PRODUCT SIZE
12	100 LITRES	EQIN-12CM	AC 380V, 50-60Hz	1800*1500*1600 MM
15	150 LITRES	EQIN-15CM	AC 380V, 50-60Hz	1800*1500*1600 MM
20	200 LITRES	EQIN-20CM	AC 380V, 50-60Hz	1800*1500*1600 MM
30	300 LITRES	EQIN-30CM	AC 380V, 50-60Hz	1800*1500*1600 MM



Commercial Induction Kitchen Equipment Experience Centre

We are proud to introduce India's first dedicated Commercial Induction Kitchen Equipment Experience Centre, where customers can experience, explore and understand the latest induction cooking solutions. Our experience centre provides an opportunity to see the equipment in operation and understand how commercial induction technology can improve kitchen efficiency, safety and performance.



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979



info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com

Commercial Kitchen Safety Training

We have been providing cooking safety training for both small-scale and large-scale commercial kitchens for the past 12 years, focusing on safe operations, proper equipment handling and effective kitchen safety practices. Our training helps kitchen staff understand the correct usage of equipment while maintaining a safe and efficient working environment.

Bakery Equipment Rental & Sales

We provide bakery equipment on a rental basis, offering flexible and cost-effective solutions for businesses. If a customer prefers to purchase the equipment, we can also provide the required bakery equipment based on their specific requirements, helping businesses choose suitable solutions according to their operational needs and budget.



OUR PRODUCTION UNIT

- Precision fabrication
- In-house manufacturing
- Quality-controlled production



OUR PRODUCTION UNIT



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979



info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com

Institute for Commercial Baking / Training

We provide professional commercial baking training designed for aspiring bakers, entrepreneurs, bakery owners and kitchen professionals.

Our training focuses on practical, hands-on learning in commercial bakery operations, including bread, cakes, cookies, pastries and other bakery products.

Participants gain practical knowledge of bakery equipment operation, ingredient handling, production techniques, hygiene, safety and efficient kitchen management.

Our goal is to help learners develop the skills and confidence required to start, operate or expand a successful commercial bakery business.



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979



info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com

EXPERIENCE CENTRE

UNIT - 1

Address:

3rd St, Karunanithi Nagar,
Sowripalayam, Coimbatore, Tamil Nadu
641028

PRODUCTION UNIT

UNIT - 2

Address:

Muniappan kovil Thottam,
Vellalore road, Singanallur, Coimbatore,
Tamil Nadu 641005

UNIT - 3

Address:

35R2+9HG, Sheeba Nagar,
Kaniyur, Tamil Nadu
641659

OUR BRANDS



LOCATION
EXPERIENCE
CENTER

+91 95001 52979

+91 95001 51979



info@equatorfoodtechmachine.com



www.equatorfoodtechmachine.com